



Lusterlume BC

Lusterlume BC is a near neutral, powdered product used for burnishing copper, brass, and steel substrates in oblique tumbling barrels. It may also be used in vibratory finishing mills.

Lusterlume BC is used for “part on part” burnishing as well as with steel, stainless steel, plastic, or ceramic media if desired.

Operating Conditions

Concentrations	1 – 2 oz/Gal
Temperature	Room – 130°F for burnishing, 110°F for drying
Equipment	Any type of burnishing equipment
Media	Part on part, steel shot, or any media presently in use. Protect steel media after use with metal guard 800-D

Caution

Although Lusterlume BC is essentially neutral, avoid skin, eye and oral contact. Wear protective clothing, goggles and gloves when handling Lusterlume BC. If exposed, flush thoroughly with clear, cold water. In case of injury, please contact a doctor.



WARRANTY: HUBBARD-HALL INC. IS NOT RESPONSIBLE FOR THE MISUSE, MISAPPLICATION, OR MISHANDLING OF THIS PRODUCT. SEE THE TERMS AND CONDITIONS OF SALE ON OUR WEBSITE FOR ADDITIONAL TERMS AND CONDITIONS CONCERNING OUR PRODUCTS, INCLUDING BUT NOT LIMITED TO, LIMITATIONS AND DISCLAIMERS OF WARRANTIES AND LIABILITIES.

Our People. Your Problem Solvers.

For more information on this process,
please call us at 203.756.5521 or email: techservice@hubbardhall.com

Hubbard-Hall holds certifications for **ISO 9001:2015**, Responsible Distribution, as accredited by the **ACD** (Alliance for Chemical Distributors) and as a **Women-Owned Small Business**, as well as maintaining an association with **Omni-Chem**¹³⁶